

HOW TO USE:

SITUATION	PEST/DISEASE	RATE	HOW TO APPLY
Apples Do not use on Delicious	black spot (Not in WA) powdery mildew, European red mite, San Jose scale (Not in TAS)	50ml per litre water	Apply at green tip.
Pears	Black Spot (Not in WA)		
Grapes	vine leaf blister mite, bunch mite		Apply late winter before bud swell.
Stone Fruit	freckle, leaf curl, rust, San Jose scale (Not in TAS)		Apply at bud swell. Do not use on apricots after bud swell.
Citrus	white louse scale, rust mite, sooty blotch		Apply in winter. In QLD use 30- 65ml/L for white louse and 25ml/L for rust mite and bud mite.
Roses and Ornamentals (deciduous)	powdery mildew, scale insects	20ml per litre water	Apply when plant is dormant.
Tomatoes	tomato mite	10ml per litre water	Spray in the cool of the day (evening.)

HOW TO PREPARE: Thoroughly wet all parts of the plant, including trunk. Do not apply after a copper spray in the same season or within 2 weeks of an oil spray.

STORAGE & DISPOSAL: Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in garbage.

FIRST AID: If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 13 1126.

NOT TO BE USED FOR ANY OTHER PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.